### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,37

# PEONIES

Choice and Rare

World's Best Novelties and Standards

This little book is convenient in size and gives accurate descriptions of some of the plants named in this list. The ratings here are from the latest of the American Peony Society Symposium. 10 is perfect, equal to 100 per cent.

TASEP 1 STATE OF THE STATE OF T

**PRICES.** The prices are for the present year, and are subject to change without notice. Prices by the dozen or for one hundred lots will be furnished upon application.

**TERMS.** Cash is required with the order or can be sent by post-office order or check, payable to The Edward P. Schwartz Peony Gardens.

**ORDERS.** All orders should be sent early, as the rarest varieties are very scarce and limited. Orders will be accepted subject to stock being unsold. No order for less than two dollars will be accepted.

SHIPMENTS will be made by Parcel Post or Express unless instructed otherwise. Peony roots will be shipped only after September 15, October, and November, before the ground freezes.

VISITORS are always welcome, and if you will let me have your name and the names and addresses of your friends who are interested in the Peony, we will notify you and them when they are in bloom (usually from May 15th to June 15th), so you can see them at their best and select the bulbs you wish to purchase and plant in the fall. The Gardens can be reached by automobile along the Frederick Pike, about three-quarters of an hour's ride from Washington, being 19 miles, or by the Baltimore & Ohio Railroad, on the Metropolitan Branch. The station is on our place at Gaithersburg, and is known as "Flower Field."

# The EDWARD P. SCHWARTZ PEONY GARDENS

FLOWER FIELD

Phone 15

GAITHERSBURG, MARYLAND

### **PEONIES**

#### PREPARING GROUND, PLANTING, CARE AND CULTURE

PEONIES are no doubt the most valuable and appreciated of all Perennial plants. Their flowers make very effective home and table decorations, are undoubtedly the best flowers for Memorial Day, and last an extreme length of time when cut in bud and placed in water in a cool room on the north side of the house, especially if the stem is cut slanting about a half inch or more and water changed each morning. Peonies are the most beautiful flowers in lawns and gardens with their exquisite colors, during the blooming season, and their foliage most beautiful all during the summer. A collection of fine Peonies is a most valuable asset, increasing in value from year to year, thus giving large returns on the initial investment not only through increased value in the roots, but also from the cut flowers.

Peonies may be planted any time from the middle of September until the ground freezes in the fall. From September 15 to November 15 is the best time, after the roots are well ripened, as they make a root growth before winter and bloom the following spring. The quality of my stock is

splendid and all varieties are true to name.

The Herbaceous Peony is of simple culture and so easy to grow. But little instruction will be necessary in order that the beginner may produce the finest blooms. plant will grow and bloom under conditions in which most plants would die, and it will repay you in large, increased size, and beauty of bloom. We would suggest that it is well to excavate the proposed bed or holes two to two and one-half feet wide and possibly eighteen to twenty-four inches deep. Fill in with good garden soil which has been well worked up and mixed with well rotted stable manure. This should be mixed with the soil at the bottom of the holes or trench up to about twelve inches of the surface. Then incorporate some good earth mixed thoroughly with bone meal. After filling up the hole, if the soil is very dry, it is well that water should be poured in in order to have it settled thoroughly. Then fill up with good earth and bone meal to the level of the ground. Place the root in the center of the hole about the level of the surrounding top ground; then cover the root with about three or four inches of the good earth. Press it down so that the soil may be compact around it. After this is done, sprinkle about one handful of bone meal on top and let alone. Be very careful not to let the manure come in contact with the root. The result will be that decay will set in and destroy the root. Where

the ground is very rich, it is not necessary to use manure, simply the bone meal. We would suggest never to plant the Peony in soil where Peonies have grown before, as complete failure will result. It is well to plant the roots in permanent beds and have the eyes from two to three inches below the surface of the soil, and if planted in permanent beds, they should be from two to four feet apart. We have known very good results from planting them in a trench fifty feet long, just two feet apart. In order to cultivate in trenches of any length, the trenches should be at least four or five feet apart except where you plan to cultivate with a horse or tractor, then they should be three or four feet apart to permit cross cultivation.

It is well from the time the color of the bloom shows in the spring that care should be exercised in keeping the bloom as dry as possible, watering the ground around the roots being the best plan. If the soil is very rich, plain water will be the best. If the ground is poor, it may be necessary to use

manure water and apply in a weak solution.

Do not cut the foliage until after October first. Under no circumstances cut all the foliage off just after the blooming season for the reason that during the next season you will

have very little blooming.

We might say that as far as protection from cold weather is concerned, the Peony does not require it, even in the most severe climate. We would suggest, however, that, during the first winter, the roots being more or less loose in the ground, you give them a light protection, as the frost may heave them, and occasionally you may find some on top of the ground in the spring. An inch or so of leaves, straw, or even gress cuttings will do, but in the spring this should be raked off; and then simply let them come along by themselves.

It is also a great benefit to cultivate or work around them with a hoe after the blooming season, keeping out the weeds and grass. An application of bone meal in the fall and sheep manure in the spring, just before a rainfall, will incresse the size and quality of the blooms. If, in the spring, especially when the plants have buds on them, the ground is dry, water them late in the evening after sun-down. This will be very

beneficial.

When cutting flowers do not cut too close to the ground, but leave as much foliage as possible, at least two leave stalks, because the leaves are necessary for future out-growth. When Peonies are transplanted, they do not fully recover and produce fine blooms until the second or third year, and then, if properly cultivated and kept free from weeds and grass and every second or third year fertilized with sheep manure in the spring and bone meal in the fall, may remain in the same ground indefinitely, but separate them in about eight years, and transplant them in new soil and location. Peonies are free from diseases and pests. The ants that are found around the buds are only after the sweet, honey-like substance that exudes before the flowers open. They do no harm and disappear when the buds open in full bloom.

If the Peony shoots up a number of spindly or weak stems, pinch off as close to the root as possible, thus throwing the strength to the few allowed to remain. If, for any reason, the stems wither and fall in spring or summer, dig up and you

may perhaps find a black spot on the stem or root caused by fresh manure coming in contact with it. Cut out, clean the decay, and dust with Dry Bordeaux Mixture or land lime and replant the root in new soil.

When you are planting, label the varieties plainly and

securely so the labels will not be lost.

Every rare and beautiful Peony deserves a permanent label. It is a great pleasure when you or your friends are wandering through your garden to know accurately the names of the plants. Especially when in bloom, record every plant with a zinc label and attach to a stake with copper wire, and would suggest that they be attached or nailed to the top of a painted stake one inch thick, three inches wide, and three feet long, driven in the ground about one foot. These can be read easily by all without even bending the back.

We will be glad to answer any questions concerning the planting, care and culture, cutting of blooms, or any other

inquiry you may desire to make.

T-ordes

### Peony Price List

#### for

# Novelties and Standards

		Frite
Rating		each
8.5	Adolphe Rosseau	1.50
6.0	Agnes Mary Kelway	1.00
0.0	Agnes Mary Kelway	25.00
	Albaflora Carnea (D., 1923).	4.00
. 0		
6.8	Alba Sulphura (Calot, 1860)	. 75
8.7	Albatre (Crousse, 1885)	1.50
8.6	Albert Crousse (Cr., 1893)	1.00
7.1	Alexander Dumas (Guerin, 1860)	.50
7.1	Alexandria (Calot, 1856)	1.00
	Alica Carrera (Calat. 1972)	
6.4	Alice Crousse (Calot, 1872)	1.50
7.2	Alice de Julvecourt (Pele, 1857)	. 75
7.4	Alfred de Musset (Cr., 1885)	1.00
8.8	Alsace Lorraine (Lemoine, 1906)	3.50
0.0	Ama-no-Sode (Jap.)	10.00
	Alice Harding (Lem., 1923)	
	Ance narding (Leni., 1923)	150.00
6.9	Armande Mechin (Mah., 1880)	1.00
	Arlequin (D., 1921)	4.00
5.6	Arthemise (Calot, 1861)	. 75
8.1	Asa Gray (Crousse 1886)	1.00
8.0	Asa Gray (Crousse, 1886)	5.00
7.3	A4 (C-1-+ 1950)	
	Atrosanguinea (Calot, 1858)	1.00
7.3	Auguste Villaume (Cr., 1895)	1.00
7.8	Augustine d'Hour (Cal., 1867)	.75
5.8	Auguste Miellez (Guer., 1858)	1.00
8.7	Avalanche (Crousse, 1886)	1.00
8.0	Aurana (D. 1004)	1.00
	Aurore (D., 1904)	
7.9	Aviateur Raymond (D., 1915)	2.00
9.0	Baroness Schroeder (Keleo., 1889)	1.50
8.7	Bayadere (Lem., 1910)	6.00
	Beatrice Kelivay	2.50
6.8	Belle Mauve (Lem., 1903)	2.50
7.5		
	Belisaire (Lem., 1901)	2.00
7.0	Berlioz (Crousse, 1886)	.50
	Biebrich (G. & K., 1912)	3.50
	Blue Bird (Kelway)	15.00
8.0	Boule de Neige (Cal., 1867)	1.00
7.3	Camille (D., 1909)	1.00
1.5	Canalle (D., 1909)	4.00
- 4	Candeur (D., 1920)	4.00
7.1	Candidissima (Cal., 1856)	.75
	Captain Alcock (Kelw., 1920)	.75 35.00
7.8	Carnea Elegans (Cal., 1860)	1.50
6.3	Carnea Triumphans (Guer., 1852)	.75
7.7	Carnot (D., 1913)	5.00
1.1		
	Cecilia Kelway	15.00
5.3	Charlemagne (Crousse)	. 50
8.6	Cherry Hill (Thurlay, 1915)	5.00
	, , , , , , , , , , , , , , , , , , , ,	

		Price
Rating		each
8.4	Chestine Gowdy (Brand, 1913)	1.00
8.7	Claire Dubois (Cr., 1886)	1.00
8.5	Clairette (D., 1915)	2.50
	Clemenceau (D., 1920)	6.00
5.4	Comte de Paris (Guer., 1842)	1.00
6.9	Clementine Gillot (Cr., 1885)	1.50
8.1	Couranne d'Or (Cal., 1873)	1.00
7.5	Constant Devred (Cal., 1868)	1.00
7.2	Coquelin (D., 1905)	1.00
7.4	Coquette (Lem., 1914)	10.00
6.8	Cytheree (Cal., 1856)	1.00
	Dai-jo-Kuhan (Millet)	1.00
7.2	de Candelle (Cr., 1880)	1.50
7.1	Delachei (Delache, 1856)	.50
	Delicata	1.00
$\frac{7.7}{7.9}$	Dorchester (Rich., 1870)	1.00
	Dr. H. Bernsby (D., 1913)	2.50
$\frac{6.4}{7.9}$	Dr. Bretonneau (Verdier)	.50
7.8 8.1	Duke of Wellington (Cal., 1859)	1.00
6.1	Duchesse de Nemours (Cal., 1856)	. 75
$\frac{6.1}{7.4}$	Duke of Devonshire (Kelw., 1895)	.75 2.00
1.4	E. St. Hill (Kelway)	8.00
7.8	E. G. Hill (Lem., 1906)	3.00
7.1	Edward André (Mech., 1874)	.50
,	Elisa (D., 1922)	10.00
8.7	Elwood Pleas (Pleas 1900)	2.00
9.2	Elwood Pleas (Pleas, 1900)	5.00
	Emmeline	1.00
7.6	Edulis Superba (Lemon, 1824)	.50
8.9	Enchanteresse (Lem., 1903)	4.50
6.8	Enfant de Nancy (Cr., 1896)	1.00
7.8	Estafette (D., 1910) Etienne Machin (Mech., 1880)	4.00
6.1	Etienne Machin (Mech., 1880)	1.00
8.0	Etta (Terry)	1.00
7.4	Eucharis (Lem., 1909)	5.00
8.3	Eugene Bigot (D., 1894)	1.00
7.3	Eugene Reignoux (D., 1905)	2.60
8.3	Eugene Verdier (Cal., 1864)	2.00
8.6	Eugenie Verdier (Cal., 1864)	1.00
8.1	Evangeline (Lem., 1910)	4.00
8.7	Exquisite (Kelw., 1912).	15.00
0.2	Faribault (Brand, 1918)	1.50
$\frac{6.6}{8.4}$	Faust (Miellez, 1855)	.50
8.0	Felix Crousse (Cr., 1881)	1.00
9.3	Festiva (Donkelaer, 1838)	1.00
7.5	Floral Treasure (Rosenf., 1900)	.50
1.5	Florentine	1.00
	Formosa Rosea	1.00
	France (Kelway, 1917).	10.00
7.3	François Roussean (D., 1909)	3.00
9.1	Francis Willard (Brand, 1907)	2.50
8.7	Francis Shaylor (Sh., 1905)	15.00
5.8	Fragrans (Sir J. Banks, 1805)	1.75
8.3	Fraicheur (Lem., 1914)	8.00

		Price
Rating		each
	Fungi-no-Mine (Des.)\$	8.00
5.7	Fulgida (Parmentier, 1850)	1.00
	Fusyama (Jap.)	1.00
	Fuvajo	5.00
7.1	General Bertrand (Guer., 1846)	1.00
7.2	General Dodds (Cr., 1893)	1.50
hrs hrs	General Joffre (Kelw., 1915)	10.00
$\frac{7.7}{8.9}$	George Hollis (Hollis, 1907)	5.00
8.9	Georgiana Shaylor (S., 1918)	3.00
8.5	Germaine Bigot (D., 1902)	1.50
0.0	Ginko-Nishiki (Jap.)	1.00
7.7	Gisele (Lem., 1908)	5.00
8.2	Gismonda (Crousse, 1895)	3.50
0.2	Gladiator	1.00
7.9	Glorie de Charles Gombault	1.00
	Glorious (Kelw., 1910)	30.00
7.8	Glorie de Touraine (D., 1908)	2.50
7.3	Golden Harvest (Rosenf 1900)	. 50
8.8	Grandiflora (Rich., 1883)	1.50
8.1	Grandiflora nivea plena (Lem., 1824)	1.50
- 0	Gravatey	2.50
7.0	Graziella (Origin unknown)	1.50
0 2	Gretchen (G. & K., 1911)	6.00
8.2	Grover Cleveland (Terry). Hana-no-Sato (Jap.)	2.00 5.00
	Hawa (Millet)	1.50
7.7	H A Hogen (Rich)	7.00
, . ,	H. A. Hegen (Rich.). Helen of Troy (Kelw., 1915).	8.00
6.9	Henry Demay (Cal., 1866)	1.00
	Hinode-Sakai (Ian.)	3.00
7.4	Henry Murger (Cr., 1895).	1.00
8.8	Henry Woodward (Rich.)	2.50
6.5	Humei Carnea (Guer., 1856)	1.00
0 =	Isani Gidui (Jap.)	10.00
8.7	James Kelway (K.)	1.50
9.6	James R. Mann (Thurl., 1920)	20.00
7.9	Jeanne d'Arc (Cal., 1858) Jeanne Gaudichau (Mill., 1910)	.75 5.00
8.9	Jeannot (D., 1918)	15.00
7.6	John Hancock (Hollis, 1907)	1.00
8.1	John Richardson (Rich.)	5.00
8.9	Jubilee (Pleas, 1908)	2.00
8.6	Iudge Berry (Brand, 1907)	6.00
7.2	Jules Calot (Cal., 1861)	1.00
	Kameno-Kerogoma (Jap.)	6.50
	Karatsu (Millet)	2.50
8.8	Karl Rosenfield (Ros., 1908)	1.50
0 0	Kara-Ori-Nishiki (lap.)	4.00
8.8	Kelway's Queen (Kelw., 1909)	10.00
9.8	Keiway's Glorious (Keiw., 1909)	15.00 15.00
	King Albert (K., 1915)	15.00
8.4	Kukenu Jishi (Jap.) King of England (Kelw., 1902)	5.00
0.1	Kocho-no-Mai	4.00
	Kocho-no-Mai Konigswinter (G. & K., 1912)	10.00
	G(G	

		Price
Rating		each
	Kossi (Millet)\$	2.00
	Kumagoo (Ian )	1.50
	Kusuhana (Jap.). La Brune (Verdier, 1866)	3.00
6.5	La Brune (Verdier, 1866)	1.00
	Laciniata	1.50
	Lady Caillard (Kelw., 1920)	40.00
	Lady Godiva (K., 1915)	10.00
9.1	Lady Alexandra Duff (Kelw.)	8.00
6.0	Lady Darmouth (Kelw., 1850)	1.00
7.6	Lady Curzon (Kelw., 1901)	5.00
$\frac{8.4}{7.8}$	La Fiancee (Des., 1902) La Fayette (Des., 1904)	2.00
9.2	La Fee (Lem., 1904)	$\frac{1.60}{10.00}$
8.6	L'Fiancée (Lem., 1898)	3.00
8.7	La Fontaine (Lem., 1904)	3.00
6.9	La Fontaine (Des., 1898)	2.00
9.0	La France (Lem., 1901)	5.00
8.6	La Lorraine (Lem., 1901)	7.00
8.4	Lamartine (Lem., 1908)	5.00
8.3	Lamartine (Calot, 1860)	1.50
	Langport Triumph (Kelway)	10.00
8.5	La Perle (Crousse, 1886)	1.00
8.3	La Roserie (Crousse, 1888)	1.00
8.1	La Tendresse (Crousse, 1896)	1.00
7.5	La Tulipe (Calot, 1872)	. 75
$\frac{8}{9}, \frac{8}{9}$	Laura Dessert (D., 1913) La Cygne (Lem., 1907)	7.00 8.00
9.9	Le Lour (Sheyler)	5.00
$\frac{9.2}{7.2}$	Le Jour (Shaylor) L'Eclatante (Calot, 1860)	1.00
1.2	Libellule (Des., 1922)	7.50
	L'Illustration (Crousse, 1857)	.50
	Lille (Millet, 1902)	1.50
7.3	L'Indispensable	. 50
	Linne (Verdier, 1860)	. 75
8.1	Livingstone (Cr. 1879)	1.00
9.0	Longfellow (Brand, 1907)	5.00
8.4	Lora Dexheimer (Brand, 1913)	2.00
	Lorch (G. & K.)	15.00
7.6	Lord Cavan (Kelw., 1920) Lord Kitchener (Renault, 1915)	$\frac{40.00}{2.00}$
6.9	Louis van Houtte (Cal., 1867)	1.00
8.8	Loveliness (Hollis, 1907)	2.00
8.2	Lacienne (Des. 1908)	6.00
6.4	Lutea Plenissima (Buyck, 1892)	1.00
	Madelon (Des., 1922)	15.00
8.2	Marcelle Dessert (Des. 1899)	2.50
7.5	Marechal Vaillant (Cal., 1867)	.75 8.00
	Margaret Atwood	
8.5	Margaret Atwood	4.00
8.6	Marguerite Gaudichau (Millet)	5.00
8.4	Marguerite Gerard (Cr., 1892)	1.00
$\frac{8.1}{8.9}$	Marie (Calot, 1868) Marie Crousse (Cr., 1892)	$\frac{1.00}{2.00}$
7.9	Marie d'Hour (Cal., 1883)	1.00
8.3	Marie Jacquin (Verdier)	1.50
8.5	Marie Lemoine (Calot., 1869)	1.00
0.0	2.22.22	2.00

		Price
Rating		each
7.8	Marie Stuart (Cal., 1856)\$	1.00
8.7	Mary Brand (Brand, 1907)	2.00
8.0	Marquis C Lagergreen (Dec. 1011)	2.00
9.1	Marquis C. Lagergreen (Des., 1911) Martha Bullock (Brand, 1907)	10.00
9.4	Mary Woodbury Shaylor (Shaylor, 1916)	20.00
7.4	Masterpiece (Kelw., 1895)	1.00
7.9	Mathilde de Roseneck (Cr., 1888)	1.00
8.5	Maud L. Richardson (Hollis, 1904)	1.00
6.5	Meissonier (Crousse, 1886)	.50
8.7	Mignon (Lem., 1908)	5.00
8.6	Mikado (Barr)	3.00
9.0	Mikado (Barr)	5.00
7.3	Minamota (Millet)	2.50
7.7	Mireille (Crousse, 1894)	2.00
7.8	Mistral (Des., 1905)	1.00
7.8	Miss Salway (Kelw.)	8.00
,.0	Mlle. Cimochowska	4.00
8.0	Mlle. Jeanne Riviere (Riv., 1908)	3.50
8.1	Mlle. Leonie Calot (Cal., 1861)	1.00
6.5	Mlle. Renee Dessert (Mech., 1880)	1.50
8.1	Mlle. Rousseau (Cal., 1886)	2.00
7.1	Madame Aug. Pelterau (Mech., 1880)	1.00
8.6	Madaine Aug. Dessert (D., 1899)	2.00
8.0	Madame Benoit Riviere (Riv., 1908)	6.00
6.8	Madame Breon (Guerin, 1850)	1.00
7.3	Madame Bucquet (Des., 1888)	1.00
8.1	Madame Calot (Miellez, 1856)	1.00
	Madame Charles Leveque (Lem.)	1.00
6.8	Madame Chaumy (Cal. 1864)	1.75
6.5	Madame Coste (Cal., 1873)	.50
7.9	Madame Crousse (Cal., 1866)	1.00
7.5	Madame de Galhau (Crousse, 1883)	1.00
7.7	Madame de Vatry (Guerin, 1863)	1.00
7.9	Madame Ducel (Mechin, 1880)	.75
7.4	Madame Emil Dupraz (Riv., 1911)	4.00
8.5	Madame Emire Galle (Cr., 1881)	1.00
8.9	Madame Emile Lemoine (Lem., 1899)	1.50
7.7	Madame Forel (Crousse, 1881)	1.00
	Madame Francois Toscanelli (Riv., 1911)	6.00
8.8	Madame Gaudichau (Millett, 1902)	5.00
7.9	Madame Geissler (Cr., 1880)	1.00
9.4	Madame Jules Dessert (D., 1909)	3.00
6.8	Madam Lebon (Calot, 1888)	. 50
7.4	Madame Lemoine (Cal., 1864)	3.00
7.2	Madame Loise Mere (Cal., 1863)	1.00
8.0	Madame Manchet (Des., 1913)	1.00
7.0 7.9	Madame Muyssart (Cal., 1869)	1.00
7.9	Madame Savreau (Savreau, 1906)	4.00
$\frac{7.3}{7.9}$	Madame Reignoux (Des., 1900)	2.00
7.8	Modeste Guerin (Guer., 1845)	1.00
7.8	Modele de Perfection (Cr., 1875)	1.00
$\frac{7.1}{9.2}$	Mons. Boucharlataine (Cal., 1868)	.75 1.00
8.3 9.2	Mons. Dupont (Cal., 1873)	1.50
7.7	Mong Krologo (Cr. 1883)	1.00
8.8	Mons. Krelage (Cr., 1883)	3.00
0.0	Mons. Marten Canusac (Des., 1079)	5.00

Rating		Price
		each
8.4	Mont Blanc (Lem., 1899)	2.50
	Mr. L. v. Leeuwen (Nieu., 1916)	12.00
6.0	Myrtle (Terry)	3.00
7.6	Neptune (Des., 1905)	2.00
	Neko-Watt (Jap.)	2.00
7.1	Nigricans	3.00
6.9	Noblissima (Miellez, 1858)	1.50
	Novelty (Barr)	5.00
	Naubunishiki (Jap.)	1.00
0.5	Nymphe (Des., 1913)	5.00
8.5	Octavie Demery	1.00
7.3	Odette (Des., 1908)	2.00
	Othello (Des., 1910)	2.50
	O. Fugi (Jap.)	5.00
	Okinawa (Jap.)	1.50
7 2	Othello (Lem., 1916)	15.00
$\frac{7.2}{8.4}$	Paul Fisher (Rich., 1904)	1.00
0.4	Perle Blanche (Des., 1918)	5.00
6.0	Perle Rose (Des., 1913). Petite Renee (Des., 1899).	5.00 1.50
$\frac{6.9}{7.7}$	Philomela (Cal. 1961)	1.00
9.2	Philomele (Cal., 1861). Phillipe Rivoire (Riv., 1911).	15.00
8.8	Phoebe Carey (Brand, 1907)	10.00
8.8	Phyllis Kelway (Kelw., 1908)	8.00
7.6	Pierre Dessert (D. & M., 1890)	1.00
7.0	Pierrette (Des., 1921)	10.00
7.6	Pierre Reignoux (Des., 1908)	2.00
,.0	Poete Fred. Mistral (Riv., 1911)	2.50
7.4	Pomponette (Des., 1909)	1.50
8.6	Primevere (Lem., 1907)	2.50
	President Poincare (Kelw., 1915)	10.00
7.0	Princess Mand (Kelw. 1886)	1.50
7.6	Princess of Wales (Kelw., 1915). Pulcherrima (Guerin, 1842).	5.00
6.1	Pulcherrima (Guerin, 1842)	1.00
6.8	Purpurea superba (Delache, 1855)	1.00
	Queen of May	1.50
	Queen of MayQueen Wilhelmia (Krelage, 1916)	15.00
	Richard Carvel (Brand, 1913)	5.00
	Rabelias (Des., 1922)	20.00
9.0	Raoul Dessert (Des., 1910)	7.50
7.4	Raphael (Mechin, 1882)	2.00
	Rauenthal (G. & K., 1913)	5.00
8.4	Rachel (Lem., 1904)	3.00
8.7	Reine Hortense (Cal., 1857)	1.50
0.0	Renée Marie (Des., 1920)	15.00
9.0	Rosa Bonheur (Des., 1905)	3.00
7 2	Rosea Elegans	1.00 .75
$\frac{7.2}{8.9}$	Posetto (Dog. 1019)	8.00
0.9	Rosette (Des., 1918)	2.00
8.5	Rosy Dawn (Barr)	2.00
0.5	Rita (Des., 1922)	25.00
6.8	Rubens (Delache, 1854)	1.00
7.2	Rubra superba (Rich., 1871)	1.00
6.7	Rubra Triumphans (Delache, 1854)	1.00
7.1	Ruy Blass (Des., 1905)	1.00
	12.00 (2000) 1.00)	2

ŀ

		Price
Rating		each
6.8	Sapho (Lem., 1900)	3.00
7.1	Sarah Bernhardt (Dessert, 1895)	1.00
9.0	Sarah Bernhardt (Lemoine, 1906)	2.00
	Schoone van Boskoop	1.00
5.6	Sea Foam (Peterson)	3.00
9.7	Solange (Lem., 1907)	5.00
	Shinso Jibiki (Millet)	2.00
	Shi-Pen-Kue (Millet)	1.50
	Shiraginu (Jap.)	5.00
7.6	Solfatare (Čal., 1861)	1.00
7.6 $7.6$	Souv. de François Ruitton (Riv., 1908)	$\frac{1.00}{6.00}$
7.3	Souv. de Auguste Meillez (Cal., 1861)	1.00
8.8	Souv. de Louis Bigot (Dex., 1913)	4.00
8.1	Stanley (Crousse, 1879)	1.00
8.8	Standard Bearer (Hollis, 1908)	20.00
	Sir Ernst Shackleton (Kelw.)	5.00
8.0	Strassburg (G. & K., 1911)	$\frac{7.50}{10.00}$
0.0	Tago-no-Tsuki (Jap.)	1.00
	Taikoon (Jap.)	10.00
9.8	Therese (Des., 1904)	6.00
	Tamatbako (Jap.)	25.00
0.0	Tora-No-Maki (Jap.)	1.50
$\frac{8.0}{9.4}$	The Moor (Borr)	$\frac{1.50}{7.50}$
9.4	Tokio (Jap.)	7.50
7.5	Torpilleur (Jap., Des., 1913)	5.00
7.8	Triumph de l'Exp. de Lille (Cal., 1865)	1.00
7.4	Umbellata Rosea (Des., 1895)	1.00
7.3	Veloutine (Des., 1908)	2.50
	Venise (Des., 1913)	5.00
8.3	Venus (Kelway)	1.00
8.3	Victoire de la Marne (Des., 1915)	2.50
7.1	Ville de Nancy	1.00
7.6	Virginie (Cal., 1858)	1.00
	Volcan (Lemoine, 1898)	3.00
6.5 9.3	Virgo Maria (Cal., 1859)	$\frac{1.00}{4.50}$
9.3	Walter Faxon (Reich.) Watteau (G. & K., 1911)	3.00
8.0	Wiesbaden (G. & K., 1911)	5.00
8.5	Wiesbaden (G. & K., 1911)	10.00
7.9	William Penn (Brand, 1907)	1.00
0.4	Wild Rose (Kelway)	15.00
8.4	Wm. F. Turner (Shaylor, 1916)	7.50 7.50
	Yeso (Jap.)	7.30
	10 10 1	
	A Superb Collection	Price
Rating		each
9.3	Festiva Maxima\$	.75
9.2	Mons. Jules Elie	1.50
8.4	Felix Crousse	1.00

	President Taft	
	La Perle	
8.5	Adolphe Rousseau	1.50
	Claire Dubois	
8.1	Madame Calot	1.00
8.0	Boule de Neige	1.00
7.8	Augustin d'Hour	1.00
	8	11.25
Price fo	or the ten\$	10.CO

### Would Recommend These As the Best and Most Beautiful for the Money

F

		Price
Rating		each
	Festiva Maxima\$	.75
7.6	Edulis Superba	. 50
8.4	Felix Crousse	1.00
7.6	Lord Kitchener	2.00
8.5	La Perle	1.00
8.0	Boule de Neige	1.00
	\$	6.25
Price fo	or the six	5.00



Usually for Decoration Day and during the season we can furnish any number of blooms in colors.

Peonies hold up better than any other flower, and when cut in bud and placed in water away from the sunlight, north side of the house, taking 24 hours to fully open, they will develop into most gorgeous flowers, lasting for several weeks.

VISITORS are always welcome and invited to drive out to our place at Gaithersburg, Maryland, and see these wonderful flowers. You then may select the roots during the blooming season from over four hundred varieties, correctly labeled, true to name, and including over one hundred and fifty rare novelties of the highest rating.

Balance in American, French, English, Holland and Japanese standards (world's best); do not confuse these with ordinary Peonies, as they are admitted by experts to be of the finest collection. Come and see over 100,000 in bud and bloom—a wonderful field of magnificent flowers, pronounced by critics to be of distinction and rare beauty. Buds and blooms may be purchased by the dozen or larger quantities.



#### The

Edward P. Schwartz Peony Gardens FLOWER FIELD GAITHERSBURG, MD.